



K 5 Basic

The "K5" high-pressure cleaner with water-cooled motor is suitable for the occasional removal of moderate dirt, e.g. on large vehicles, stone walls or bicycles.



1 Outstanding performance

The state-of-the-art water-cooled motor impresses with its long service life and high level of performance.

3 Hooked on tidiness

Generous cable hook for the tidy storage of the cable directly on the device.

2 Quick Connect

The high-pressure hose is easy to manoeuvre, clicking quickly in and out of the device and spray gun. This saves time and effort.

TECHNICAL DATA AND EQUIPMENT

KARCHER



K 5 Basic

Technical data		
Order no.		1.180-580.0
EAN code		4039784973480
Pressure	bar / MPa	20-145 / 2-14.5
Flow rate	l/h	500
Max. inlet temperature	°C	bis zu 40
Connection load	kW	2.1
Weight without accessories	kg	11.5
Dimensions (L × W × H)	mm	341 × 325 × 867
Current type	V / Hz	230 / 50
Equipment		
High-pressure gun		Standard Quick Connect

Standard Quick Connect
1
I contract of the second se
8
I Contraction of the second
1
I contract of the second se
I contraction of the second seco
1
I contraction of the second

Included in the scope of supply.


				5		
8		10	11, 15	12	13 14	
		Order no.		Price	Description	
Surface cleaners Replacement nozzles accessories	1	2.643-335.0			The high-quality replacement nozzles guarantee easy re-	
for T 350	Ŧ				placement of nozzles and are suitable for the T-Racer T 300 / T 350 surface cleaners for the pressure washer unit class- es K 2 to K 7.	
Replacement nozzle for T-Racer	2	2.640-727.0			High-quality, grey replacement nozzles for easy replace- ment of T-Racer nozzles. Suitable for replacing nozzles for the K2-K5 device classes.	
T 450 T-Racer surface cleaner	3	2.643-214.0			Cleans large surfaces without splashing: T-Racer surface cleaner T 450. Extra power nozzle for corners and edges, handle for vertical cleaning, protection grid for gravel sur-	
PS 40 power scrubber surface cleaner	4	2.643-245.0			faces, cleaning pressure adjustment. PS 40 power scrubber with three integrated high-pressure nozzles. Powerful cleaning action removes stubborn dirt from surfaces quickly and easily. Ideal for stairs and edges.	
T 550 T-Racer surface cleaner	5	2.643-251.0			T-Racer surface cleaner T 550 for splash-free cleaning of large surfaces. With detergent application system, power nozzle for corners/edges, protection grid for gravel surfaces,	
T 350 T-Racer surface cleaner	6	2.643-252.0			pressure adjustment and handle. With the T-Racer surface cleaner T 350, large surfaces can be cleaned without splashing. Continuous pressure adjust- ment for hard and sensitive surfaces. Handle for vertical cleaning.	
Replacement nozzles accessories	7	2.643-338.0			High-quality replacement nozzles for all T-Racer surface cleaners (except T 350) for unit classes K 2 to K 7, gutter cleaner PC 20 for K 3 to K 7, as well as chassis cleaner for K 2 to K 5.	
Brushes						
WB 150 power brush	8	2.643-237.0			WB 150 power brush for splash-free cleaning of sensitive surfaces. The effective combination of high pressure and manual brush pressure saves energy, water and up to 30% time.	
WB 120 rotating wash brush	9	2.644-060.0			Rotating wash brush with interchangeable attachment for cleaning all smooth surfaces such as paint, glass or plastic. Quick and easy attachment changing thanks to the integrat- ed release lever.	
WB 120 rotating wash brush Car & Bike	10	2.644-129.0			Gently cleans cars and motorbikes: The rotating wash brush with innovative soft microfibre interchangeable attachment	
WB 60 soft surface wash brush	11	2.643-233.0			Car & Bike. Machine washable at 60 °C. Soft brush for cleaning large areas, e.g. cars, caravans, boats, conservatories or roller shutters). Working width of 248 mm	
Wheel washing brush	12	2.643-234.0			ensures good coverage. Wheel washing brush for effective cleaning also in difficult to reach areas. Uniform 360° water distribution for a perfect cleaning result.	
Garden hose adapter	13	2.640-732.0			Adapter for garden hose connection – suitable for attaching all Kärcher brushes to garden hoses with the quick-coupling system.	
Soft universal brush	14	2.640-589.0			Universal soft brush for cleaning all types of surfaces. With soft brushes, outer protector ring, union nut and rubber pad.	
Soft surface brush	15	2.640-590.0			Soft brush for cleaning large areas, e.g. cars, caravans, boats, conservatories or roller shutters). Working width of 248 mm ensures good coverage.	

16-17		19	20		21	
24 25, 28		26	27		29	
Rotary wash brush with joint	16	Order no. 2.640-907.0			Price	Description Rotating washing brush with joint for cleaning all smooth
WB 100 rotating wash brush	17	2.643-236.0				surfaces, e.g. paint, glass or plastic. 18° infinitely adjustable joint on handle for cleaning difficult to reach areas. Rotating wash brush with joint for cleaning all smooth sur- faces, e.g. paint, glass or plastic. 18° infinitely adjustable joint on handle for cleaning difficult to reach areas.
Soft Wash Brush WB 50 Wash brush	18 19					Universal soft brush for cleaning all types of surfaces. With soft brushes, outer protector ring, union nut and rubber pad. Wash brush with soft bristles for cleaning sensitive areas and areas which are difficult to access in the outside area. Suitable for all Kårcher K 2 to K 7 pressure washers.
Spray lances Telescopic spray lance	20	2.642-347.0				Telescopic spray lance (1.20 m - 4 m) for easy cleaning of difficult to reach areas. With shoulder strap, bayonet connection and integrated, ergonomically adjustable trigger gun.
Splash guard	21					Transparent splash guard for class K 2 to K 7 Kårcher pres- sure washers protects the operator and surrounding area from spray water. Ideal for cleaning corners and edges.
Angled spray lance	22					Extra-long angled spray lance (about 1 m) for easy cleaning of difficult to reach areas, e.g. roof gutters or vehicle underbodies.
1-step lance extension VP 180 S vario power jet short 360° for K 2-K 7	23 24					Extends spray lance by 0.4 m. For effective cleaning of difficult to reach areas. Suitable for all Kärcher accessories. VP 180 S: The vario power jet short 360° with infinitely variable pressure regulation and adjustable 360° joint is
MP 145 multi power jet for K 3-K 5	25	2.643-239.0				ideal for cleaning areas that are difficult to reach. Multi power jet with 5 types of jets: Cleaning agent jet, HP fan jet, rotary nozzle, pencil jet and wide reduced-pressure for jet.
3-step lance extension	26	2.639-722.0				fan jet. The suitable jet can be selected by simply twisting. 3-stage lance extension set with four aluminium lances for difficult to reach areas. Variable extension to 90 cm, 1.30 m and 1.70 m.
Splash guard	27					Splash guard for dirt blasterProtects against splash back when cleaning corners and edges. Fits all Kärcher dirt blast- ers (except 4.763-184).
Multi-power jet K3 - K5 VP 160, Vario Power Jet for K 5-K	28					Multi-power jet with 5 types of jets: Cleaning agent jet, HP fan jet, rotary nozzle, pencil jet and wide reduced-pressure fan jet. The suitable jet can be selected by simply twisting. Vario-Power spray lance: spray lance with infinitely variable
DB 160, Dirt Blaster for K 5-K 7	30					pressure control from low-pressure detergent jet to high-pressure jet. Dirt blaster with powerful rotor nozzle (rotating pencil jet) ideal for removing stubborn dirt. Ideal for moss covered or weathered surfaces.
High-pressure replacement hose: s H 9 Q high-pressure hose Quick Connect	system 31	from 2009 with Quick Connect syst 2.641-721.0	em			9 m high-pressure replacement hose for K 2 to K 7 pressure washers manufactured since 2009, on which the hose is attached to the spray gun and device with a Quick Connect quick coupling. 180 bar, 60°C.
High-Pressure replacement hose k	it syste	em from 1992				
Extension hose adapter kit	32	2.643-037.0				Two-part adapter set for connecting an extension hose with screw thread to a pressure washer with a Quick Connect system. Not for hose reel machines.

High-pressure extension hose: System for devices with Quick Connect system XH 10 Q Quick Connect extension hose Quick 33 2.641-710.0 High-pressure hose extension for greater fler robust DN 8 quality hose for excellent durat K 7 devices from 2008 or later with Quick Connect system XH 6 Q extension hose Quick 34 2.641-709.0 High-pressure extension hose for greater fler robust DN 8 quality hose for durability. For from 2008 with Quick Connect adapter. Connect XH 10 QR extension hose Quick 34 2.641-709.0 High-pressure extension hose for greater fler robust DN 8 quality hose for durability. For from 2008 with Quick Connect adapter. Connect multiple-pressure hose extension hose for greater fler robust DN 8 quality hose for durability. For from 2008 with Quick Connect adapter. Conspring you and high-pressure hose. XH 10 QR extension hose Quick 35 2.641-708.0 High-pressure extension rubber hose for greater fler for turability. For from 2008 with Quick Connect adapter. Conspring you and high-pressure hose. XH 10 QR extension hose Quick 35 2.641-708.0 High-pressure extension rubber hose for greater fler for durability. For from 2008 with Quick Connect adapter. Conspring you and high-pressure hose. XH 10 QR extension hose Quick 35 2.641-708.0 High-pressure extension rubber hose for greater fler for durability. For from 2008 with Quick Connect adapter. Conspring you and high-pressure hose. XH 10 QR extension hose Quick 35 2.641-708.0 High-pressure ex	
XH 10 Q Quick Connect extension 33 2.641-710.0 High-pressure hose extension for greater fle robust DN 8 quality hose for excellent durat K 7 devices from 2008 or later with Quick C XH 6 Q extension hose Quick 34 2.641-709.0 High-pressure extension hose for greater fle robust DN 8 quality hose for durability. For from 2008 with Quick Connect adapter. Com spray gun and high-pressure hose. XH 10 QR extension hose Quick 35 2.641-708.0 High-pressure extension rubber hose for greater fle robust DN 8 quality hose for greater fle robust DN 8 quality hose for durability. For from 2008 with Quick Connect adapter. Com spray gun and high-pressure hose. XH 10 QR extension hose Quick 35 2.641-708.0 High-pressure extension rubber hose for greater fle robust DN 8 quality hose, steel reinforced for 3 to K 7 series from 2008 with Quick Connect for 3 to K 7 series from 2008 with Quick Connect Connect between trigger gun and high-pressure	
hoserobust DN 8 quality hose for excellent durat K 7 devices from 2008 or later with Quick CXH 6 Q extension hose Quick Connect342.641-709.0High-pressure extension hose for greater fle robust DN 8 quality hose for durability. For from 2008 with Quick Connect adapter. Com spray gun and high-pressure hose.XH 10 QR extension hose Quick Connect rubber352.641-708.0High-pressure extension rubber hose for greater fle robust DN 8 quality hose for durability. For from 2008 with Quick Connect adapter. Com spray gun and high-pressure hose.XH 10 QR extension hose Quick Connect rubber352.641-708.0High-pressure extension rubber hose for greater fle or for 2008 with Quick Connect for 3 to K 7 series from 2008 with Quick Connect for 3 to K 7 series from 2008 with Quick Connect for y and high-pressure function of the pressure for y at the pressure function of the pressure for y at the pressure function of the pressure function of the pressure for y at the pressure function of the pressure function of the pressure for y at the pressure function of the pressure for y at the pressure function of the pressure for y at the pressure function of the pressure function of the pressure for y at the pressure function of the pressure for y at the pressure function of the pressure for y at the pressure function of the pressure function of the pressure for y at the pressure function of the pressure for y at the pressure function	
XH 6 Q extension hose Quick Connect 34 2.641-709.0 High-pressure extension hose for greater fle robust DN 8 quality hose for durability. For from 2008 with Quick Connect adapter. Con spray gun and high-pressure hose. XH 10 QR extension hose Quick Connect rubber 35 2.641-708.0 High-pressure extension rubber hose for greater fle robust DN 8 quality hose, steel reinforced for 3 to K 7 series from 2008 with Quick Connec Connect between trigger gun and high-press	
XH 10 QR extension hose Quick 35 2.641-708.0 High-pressure extension rubber hose for gree 10 m high-quality hose, steel reinforced for 3 to K 7 series from 2008 with Quick Connect between trigger gun and high-pressure	kibility. 6 m < 2 to K 7 series □
	durability. For K
Pipe cleaning	
PC 20 roof gutter and pipe clean- ing kit 36 2.642-240.0 The gutter and pipe cleaning kit works all by high pressure. It easily cleans outflows, pipe	
PC 15 pipe cleaning kit 37 2.637-767.0 Pipe cleaning kit with 15 m hose for clearing pipe cleaning kit with 15 m hose for clearing pipe class and downpiper.	blockages in
PC 7.5 pipe cleaning kit 38 2.637-729.0 Pipe cleaning kit with 7.5 m hose for clearin pipes, drains and downpipes.	g blockages in
Foam jet	
FJ 6 foam jet 39 2.643-147.0 FJ 6 foam nozzle for cleaning with powerful foam cleaner). For cars, motorcycles etc. and cleaning products to stone and wood surface	for applying
FJ 10 C Connect 'n' Clean foam jet 40 2.643-143.0 Ultra Foam Cleaner + quick-change system F. 'n' Clean foam nozzle. Easy change between gents with just a simple click.	
FJ 10 C foam jet Connect 'n' Clean 41 2.643-144.0 Clean foam nozzle. Easy change between dif gents with just a simple click.	
Foam nozzle, 0.3 litre 42 2.641-848.0 Foam nozzle, 0.3 litre 42	
FJ 10 C foam jet Connect 'n' Clean 43 2.643-145.0 Stone cleaner + quick-change system FJ 10 with stone cleaner 3-in-1 Clean foam nozzle. Easy change between dif gents with just a simple click.	
Accessory kits	
Accessory Kit Bike Cleaning 44 2.643-551.0 Cleaning and care to perfection! The accessor motorbike and bicycle cleaning includes 1 w brush, 1 universal wash brush, 1 litre of Car and 1 VPS 160 S.	neel washing
Accessories set for wood cleaning 45 2.643-553.0 Accessories kit for wood cleaning. With Pow 40, Wood Cleaner 3-in-1 and Connect 'n' Clearing and maintaining wood faces.	in FJ 10 C foam
Miscellaneous	
SH 5 suction hose 46 2.643-100.0 Environmentally friendly 5-metre long suction sucking up water from alternative sources subtractions of the sources subtraction of the sources subtrac	n hose for
Sand and wet-blasting kit 47 2.638-792.0 Sand and wet-blasting kit for removing rust, born dirt using Kärcher abrasive. Available accessories. Available accessories. Sand and wet-blasting kit for removing rust, born dirt using Kärcher abrasive.	

KARCHER

K 5 BASIC 1.180-580.0



		Order no.		Price	Description	
Vario joint	48	2.640-733.0			Vario joint, rotates 180° for cleaning difficult to reach areas. For connection between gun and accessory or extension lance and accessory.	
Water filter	49	4.730-059.0			Water filter protects pressure washer pumps against dirt particles from dirty water.	
O-ring set	50	2.640-729.0			Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.	
Organiser	51	2.641-630.0			Kärcher organiser, the practical wall-mounted storage sys- tem for Kärcher accessories. With two modules for flexible mounting. Ideal for protecting wash brushes and bristles from bending.	
Underbody cleaner	52	2.642-561.0			Highly effective chassis cleaner for removing dirt, mud, sludge, sand and encrusted salt. With care nozzle for apply- ing chassis wax (incl. 250 ml free tester).	
Suction hose ecologic	53	2.642-743.0			The suction hose from the ecologic range is suitable for all K 3 to K 7 devices and makes it possible to draw water from alternative sources such as water butts and barrels. The hose is free of phthalates and PVC, up to 90% recyclable and also uses highly eco-friendly packaging.	

KARCHER

			5	6-7			
		Order no.		Pric	ce	Description	
Hose storage and hose trolley		11					
Premium Hose Reel HR 7.315 Kit 5/8"	1	2.645-165.0				Watering station with detachable hose reel, storage option for nozzles and sprinklers, large storage box and fixing option for spray lances. Fully equipped.	
Hose Trolley HT 3.420 Kit 5/8"	2	2.645-167.0				Fully assembled hose trolley with height-adjustable handle, angled hose connection, freewheeling crank handle and sophisticated folding function for space-saving storage.	
Premium Hose Reel HR 7.315 Kit 1/2"	3	2.645-164.0				Fully equipped watering station. With detachable hose reel, storage for nozzles and sprinklers, large storage box and fixing option for spray lances.	
Hoses							
Hose set for pressure washers	4	2.645-156.0				Hose set for high-pressure cleaning and garden watering. With 10m PrimoFlex [®] hose (3/4"), G3/4 tap adaptor, univer- sal hose connector and universal connector with Aqua Stop.	
Water supply hose set	5	2.645-258.0				Hose set for water supply (pressure washer, garden water- ing). With 10 m PrimoFlex* hose (½"), hose connector with and without Aqua Stop, universal connection for taps with- out thread.	
PrimoFlex [®] hose 1/2" - 20 m	6	2.645-138.0				The robust PrimoFlex [®] (1/2") garden hose is a 20m long, temperature-resistant (from -20 to 65°C) and physiologically safe water hose with pressure-proof coating. Bursting pres- sure: 24 bar.	0
PrimoFlex [®] hose 3/4" - 25 m	7	2.645-142.0				PrimoFlex [®] quality garden hose (3/4"). 25 m long. With pressure-resistant woven reinforcement. Contains no sub- stances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C.	
Hose Performance Plus 1/2" - 20m	8	2.645-318.0					
Hose Performance Plus 3/4" -25m		2.645-322.0					
Performance Premium hose, 1/2" -20 m	10	2.645-324.0					
Hose connection systems				1	1		
Universal hose coupling Plus	11	2.645-193.0	 			Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems. Universal hose coupling plus with Aqua Stop and soft plastic	
Universal hose coupling Plus with Aqua Stop	12	2.645-194.0				Universal nose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.	
Universal Hose Connector with Aqua Stop	13	2.645-192.0				Universal hose connector with Aqua Stop in ergonomic design for comfortable handling.	
Universal Hose Connector	14	2.645-191.0				Universal hose connector in ergonomic design for comforta- ble handling.	

Available accessories.

K 5 Basic, 1.180-580.0, 2019-11-15